

- from forum
- Intro
- My Files
- SES
- System
- User
- Play Demo
- Temp
- Deleted

Init2: The startup code is not executed if QM runs in safe mode. To run in safe mode, hold down F8 when QM is starting.

061225 Double click replaces set/go folders

061226 mykey function replaces greek keyboard etc
replaces key in all MLO routines

070422 ToDo on C: on a normal basis
New manual routine to set it on K:
K: dumps on a new directorcccy on C:

080428152107
Unicode version
Functions necessary to manipulate unicode strings :
lenu gransi (ie. MLO_FindRichText) findrxu
Strings q_stricmp etc changed as suggested by Q.2.3.0

080519065753
Disable HideTrayIcon by renaming to .HideTrayIcon in some macros


080524212000
Unicode version systray routines (by Gintaras)

080524212842
Partially re-enabled

- Open items
- History
 - Menu name
 - QMEditor
- Running items
- Threads
 - Toolbars (21)
 - Timers
 - Recent (18)

Warning in [CaptureImageOrColor_SES:Dlg](#): private System function TO_TooltipOsd in user code. It may be deleted in

Warning in [CaptureImageOrColor_SES:Dlg](#): private System function TO_LoadCursor in user code. It may be deleted in



Forum Function to QM

Copy for QM Forum

GoTo Forum Folder

Install New-Last QM version

Encrypt/Decrypt Macro

Display - View

Insert text

Find Window - Replace

Find Particular Macros (MyHelp)

Macros Management

Registry Operations

Misc

Triggers

Threads

Find Text in QM Files

Move QM Item to Target Folder

Options

QM Help

Strings with variables

Folders

Scheduling

Compare two Macros

File Differences - WinDiff

File Differences - WinMerge

